



SAFETY DATA SHEET
IRON CONTAMINATE & FALLOUT REMOVER

Page: 1
Compilation date: 31/07/2015
Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: IRON CONTAMINATE & FALLOUT REMOVER

Product code: AT1025

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name: Atom Scientific Ltd
Unit 2B East Tame Business Park
Rexcine Way
Hyde
Cheshire
SK14 4GX
United Kingdom

Tel: +44 161 366 5123

Fax: +44 170 433 7167

Email: technical@atomsscientific.com

1.4. Emergency telephone number

Emergency tel: +44 161 366 5123
(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318

Most important adverse effects: Causes serious eye damage.

2.2. Label elements

Label elements under CLP:

Hazard statements: H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P102: Keep out of reach of children.
P264: Wash hands thoroughly after handling.

SAFETY DATA SHEET
IRON CONTAMINATE & FALLOUT REMOVER

Page: 2

P280: Wear protective gloves/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

CITRIC ACID MONOHYDRATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	5949-29-1	-	Eye Irrit. 2: H319	1-10%

OXALIC ACID

205-634-3	144-62-7	-	Acute Tox. 4: H312; Acute Tox. 4: H302	1-10%
-----------	----------	---	--	-------

Non-hazardous ingredients:

ALCOHOLS C9-11, ETHOXYLATED

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.

Eye contact: Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention immediately. Continue to rinse.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Wash out mouth with water. Consult a doctor.

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: May be harmful if absorbed through the skin. There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and pain. The eyes may water profusely. The vision may become blurred. May cause eye burns in its concentrated form.

Ingestion: May be harmful if swallowed. There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Corrosive burns may appear around the lips. There may be vomiting. Nausea and stomach pain may occur.

[cont...]

SAFETY DATA SHEET
IRON CONTAMINATE & FALLOUT REMOVER

Page: 3

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. May cause drowsiness and dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water spray. Alcohol resistant foam. Dry chemical powder. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Use water spray to cool unopened containers.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Use personal protective equipment. Avoid breathing vapours, mist or gas. Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into environment must be avoided.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: For personal protection, see section 8. For waste disposal, see section 13.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid contact with skin and eyes. Normal measures for preventive fire protection. For precautions see section 2.2.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

[cont...]

SAFETY DATA SHEET
IRON CONTAMINATE & FALLOUT REMOVER

Page: 4

7.3. Specific end use(s)

Specific end use(s): No other specific uses stipulated other than the uses mentioned in section 1.2.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

OXALIC ACID

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m ³	2 mg/m ³	-	-

8.1. DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of workday.

Respiratory protection: Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with application laws and good laboratory practises. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Full contact - Material: Nitrile rubber. Minimum layer thickness: 0.11mm. Break through time: 8 hrs. Splash contact - Material: Nitrile rubber. Minimum layer thickness: 0.11mm. Break through time: 8hrs. If used in solution, or mixed with substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

Eye protection: Use equipment for eye protection tested and approved under appropriate government standards.

Skin protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Environmental: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

[cont...]

SAFETY DATA SHEET
IRON CONTAMINATE & FALLOUT REMOVER

Page: 5

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

Odour: Barely perceptible odour

Solubility in water: Soluble

Relative density: 1.02

pH: 1.5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: No data available.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: Other decomposition products - no data available. In the event of fire: see section 5

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

CITRIC ACID MONOHYDRATE

INTRAPERITONEAL	RAT	LD50	375	mg/kg
-----------------	-----	------	-----	-------

OXALIC ACID

ORL	RAT	LD50	1400	mg/kg
SCU	FRG	LDLO	757	mg/kg

[cont...]

SAFETY DATA SHEET
IRON CONTAMINATE & FALLOUT REMOVER

Page: 6

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: May be harmful if absorbed through the skin. There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and pain. The eyes may water profusely. The vision may become blurred. May cause eye burns in its concentrated form.

Ingestion: May be harmful if swallowed. There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Corrosive burns may appear around the lips. There may be vomiting. Nausea and stomach pain may occur.

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing. May cause drowsiness and dizziness.

Other information: RTECS: Not available. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company. Offer surplus and non-recyclable solutions to a licensed disposal company.

Disposal of packaging: Dispose of as unused product.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

SAFETY DATA SHEET
IRON CONTAMINATE & FALLOUT REMOVER

Page: 7

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2. Chemical Safety Assessment

Chemical safety assessment: For this product a chemical safety assessment was not carried out.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.