BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Page: 1

Compilation date: 16/01/2019

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Product code: RRSP7705

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC21: Laboratory chemicals.

1.3. Details of the supplier of the safety data sheet

Company name:	Atom Scientific Ltd
	2b East Tame Business Park
	Hyde
	Manchester
	SK14 4GX
Tel:	0161 366 5123
Fax:	01704 337167
Email:	technical@atomscientific.com

1.4. Emergency telephone number

Emergency tel: 07833453806

Section 2: Hazards identification

2.1. Classification of the subst	ance or mixture			
Classification under CLP:	Flam. Liq. 2: H225; STOT SE 2: H371; Acute Tox. 4: H302; Eye Irrit. 2: H319			
Classification under CHIP:	F: R11			
Most important adverse effects:	ts: Highly flammable liquid and vapour. Causes serious eye irritation. May cause damage			
	to organs . Harmful if swallowed.			
2.2. Label elements				
Label elements under CLP:				
Hazard statements:	H225: Highly flammable liquid and vapour.			
	H319: Causes serious eye irritation.			
	H371: May cause damage to organs .			

H302: Harmful if swallowed.

Signal words: Danger

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark

GHS08: Health hazard



BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Precautionary statements: P210: Keep away from heat/sparks/open flames/hot surfaces No smoking.
D290. Wear protective devealartective elething/ove protection/face protection
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
P309+311: IF exposed or if you feel unwell: Call a POISON CENTER or doctor.
P337+313: If eye irritation persists: Get medical advice/attention.
P403+233: Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHANOL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community workplace exposure limit.	Flam. Liq. 2: H225	>90%

METHANOL

200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331;	<1%
			Acute Tox. 3: H311; Acute Tox. 3: H301;	
			STOT SE 1: H370	

Section 4: First aid measures

4.1. Description of first aid measures				
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.			
	Drench the affected skin with running water for 10 minutes or longer if substance is still			
	on skin.			
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.			
Ingestion:	Do not induce vomiting. If conscious, give half a litre of water to drink immediately.			
	Consult a doctor.			
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a			
	doctor.			
4.2. Most important symptoms	and effects, both acute and delayed			
Skin contact:	There may be mild irritation at the site of contact.			
Eye contact:	There may be irritation and redness.			
Ingestion:	There may be irritation of the throat.			

Inhalation: There may be a feeling of tightness in the chest with shortness of breath.

Delayed / immediate effects: No data available.

Page: 2

BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

Vapour may travel considerable distance to source of ignition and flash back.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Notify the police and fire brigade immediately. Eliminate all sources of ignition. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Clean-up should be dealt with only by qualified personnel familiar with the specific substance.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions:Store in cool, well ventilated area. Keep container tightly closed. Keep away from
sources of ignition. Prevent the build up of electrostatic charge in the immediate area.
Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Not applicable.

BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Page: 4

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHANOL

Workplace exposure limits:

Workplace exposure limits:			Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
UK	1920 mg/m3	-	-	-	
METHANOL					

METHANOL

UK	266 mg/m3	333 mg/m3	-	-

8.1. DNEL/PNEC Values

Hazardous ingredients:

METHANOL

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	40 mg/kg	Workers	Systemic
DNEL	Dermal	8 mg/kg	Consumers	Systemic
DNEL	Ingestion	8 mg/kg	Consumers	Systemic
DNEL	Dermal	40 mg/kg	Workers	Systemic
DNEL	Dermal	8 mg/kg	Consumers	Systemic
DNEL	Ingestion	8 mg/kg	Consumers	Systemic
DNEL	Inhalation	260 mg/kg	Workers	Systemic
DNEL	Inhalation	260 mg/kg	Workers	Local
PNEC	Inhalation	260 mg/kg	Workers	Systemic
DNEL	Inhalation	260 mg/kg	Workers	Local
DNEL	Inhalation	50 mg/kg	Consumers	Systemic
DNEL	Inhalation	50 mg/kg	Consumers	Local
DNEL	Inhalation	50 mg/kg	Consumers	Systemic
DNEL	Inhalation	50 mg/kg	Consumers	Local
PNEC	Soil	23.5 mg/kg	-	-
PNEC	Marine water	15.4 mg/l	-	-
PNEC	Fresh water	154 mg/l	-	-
PNEC	Fresh water sediments	570.4 mg/kg	-	-

BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

					Page : 5	
PNEC	Onsite	sewage treatment plant	100 mg/kg	-	-	
8.2. Exposure	controls					
Engine	ering measures:	Ensure there is sufficien	nt ventilation of the area.	Ensure lighting and elect	rical	ļ
-		equipment are not a sou				
Respira	tory protection:	Respiratory protection n	-			
н	land protection:	Protective gloves.				ļ
	Eye protection:	Safety glasses. Ensure	eye bath is to hand.			ļ
ę	Skin protection:	Protective clothing.				
	Environmental:	Not applicable.				ļ
Section 9: Phys	ical and chemi	cal properties				
9.1. Informatio	on on basic phys	ical and chemical prope	erties			
	State:	Liquid				
9.2. Other info	rmation					ļ
Otl	her information:	Not applicable.				
Section 10: Stat	bility and react	ivity				
10.1. Reactivity						
	Reactivity:	Stable under recommen	ided transport or storage	conditions.		
10.2. Chemical	l stability					
Ch	emical stability:	Stable under normal cor	nditions. Stable at room t	emperature.		
10.3. Possibilit	ty of hazardous r	reactions				
Hazar	dous reactions:	Hazardous reactions wil	Il not occur under normal	transport or storage con	ditions.	
			cur on exposure to conditi			
10.4. Condition	ns to avoid					ļ
		Heat. Hot surfaces. Sou	irces of ignition. Flames.			
10.5. Incompat						
		Strong oxidising agents.	Strong goide			
	us decompositio					
			· • •			
Haz. dec		In combustion emits toxi	ic fumes.			
		mation				
11.1. Informati	11.1. Information on toxicological effects					

BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Page: 6

Hazardous ingredients:

ETHANOL

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

METHANOL

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be a feeling of tightness in the chest with shortness of breath.

Delayed / immediate effects: No data available.

Other information: Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

METHANOL

ALGAE	96H ErC50	22000	mg/l
DAPHNIA	48H EC50	>10000	mg/l
FISH	96H LC50	15400	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Page: 7

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
Recovery operations:	Not applicable.
Disposal of packaging:	Dispose of as unused product.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1170

14.2. UN proper shipping name

Shipping name: ETHANOL (ETHYL ALCOHOL)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: This safety datasheet complies with the requirements of Regulation (EC) No.

1907/2006.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

BROMOCRESOL PURPLE 0.04% ALCOHOLIC INDICATOR

Page: 8

Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and 3: H225: Highly flammable liquid and vapour. H301: Toxic if swallowed. H302: Harmful if swallowed. H311: Toxic in contact with skin. H319: Causes serious eye irritation. H331: Toxic if inhaled. H370: Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. H371: May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. R11: Highly flammable. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.